

Supplementary Information for “Body oscillations couple with wing flapping to reduce aerodynamic power in wild silkmoth flight”

Usama Bin Sikandar^{*1,2}, Brett R. Aiello^{2,3,4}, and Simon Sponberg^{2,4}

¹School of Electrical and Computer Engineering, Georgia Institute of Technology,
Atlanta, GA 30332 USA

²School of Physics, Georgia Institute of Technology, Atlanta, GA 30332 USA

³Department of Biology, Seton Hill University, Greensburg, PA 15601 USA

⁴School of Biological Sciences, Georgia Institute of Technology, Atlanta, GA 30332 USA

Supplementary Figures (included in this document)

- Figure S1: Representative wing shape and size, position of wing hinge and wing pitching axis for each of the four silkmoth species used in the study

Supplementary Spreadsheet Tables (uploaded as electronic supplementary material)

- Supplementary data S1 – Morphometrics.xlsx: Individual specimens and species-averaged morphometric measurements
- Supplementary data S2 – Wing kinematic Parameters Individual: Individual specimen and species-averaged kinematic measurements as Fourier coefficients of fits on the measured waveforms
- Supplementary data S3 – Wing Kinematic Parameters Averaged and Trimmed: Species-averaged kinematic parameters used in trim search and ‘trimmed’ kinematic parameters found in the trim search




Figure S1: Representative wing shape and size, position of wing hinge and wing pitching axis for each of the four silkmoth species used in the study